

Conetrol Base Stock Numbers

GUN MAKE & MODEL <i>Satin Stainless Steel Available for Many Guns</i>	BRIDGE BASES <i>(Four Grades)</i>	HUNTUR 2-Pc. (-H2)	GUNNUR 2-Pc. (-G2)	LIMITED 2-Pc. (-L2)	CUSTUM 2-Pc. (-C2)	FLUTED 2-Pc. (-F2)
ALPHA I	-	ALPHAH2	ALPHAG2	ALPHAL2	ALPHAC2	ALPHAF2
Ring-Extending Base	-	ALPHAXH2	ALPHAXG2	ALPHAXL2	ALPHAXC2	ALPHAXF2
ALPINE Supreme	FN(H/G/L/C)1	FNH2	FNG2	FNL2	FNC2	FNXF2
Ring-Extending Base	-	FNXH2	FNXG2	FNXL2	FNXC2	FNXF2
ANSCHUTZ Rimfires/Small Calibers (Screw Attachment)	153(H/G/L/C)1	45H059H2	45H059G2	45H059L2	45H059C2	45H059F2
Extra-High Base	-	53H059H2	53H059G2	53H059L2	53H059C2	53H059F2
Receiver Diameter Under One Inch	-	2H589H2	2H589G2	2H589L2	2H589C2	2H589F2
ANSCHUTZ 1568	-	ALPHAH2	ALPHAG2	ALPHAL2	ALPHAC2	ALPHAF2
ANSCHUTZ 1574	-	KRICOH2	KRICOG2	KRICOL2	KRICO2	KRICO2
ANSCHUTZ 1727	-	3T059H2	3T059G2	3T059L2	3T059C2	3T059F2
ARISAKA, Japanese	JAP(H/G/L/C)1	JAPH2	JAPG2	JAPL2	JAPC2	JAPF2
ARNOLD ARMS CO. Apollo	-	DGAH2	DGAG2	DGAL2	DGAC2	DGAF2
AUSTIN & HALLECK 420 LR	-	45T059H2	45T059G2	45T059L2	45T059C2	45T059F2
BENELLI Super Black Eagle Shotgun	-	4&6H2	4&6G2	4&6L2	4&6C2	4&6F2
BENELLI R1 Rifle	-	BLRH2	BLRG2	BLRL2	BLRC2	BLRF2
BERETTA Mato Rifle	-	E70MH2	E70MG2	E70ML2	E70MC2	E70MF2
BERETTA Pintail Shotgun	-	45T549#8H2	45T549#8G2	45T549#8L2	45T549#8C2	45T549#8F2
BERETTA SAKO Rifles	-	-	-	-	-	-
BERGARA Short B14 Actions (Specify if Premier Series with 8-40 Screws)	722(H/G/L/C)1	700H2	700G2	700L2	700C2	700F2
BERGARA Long B14 Actions (Specify if Premier Series with 8-40 Screws)	721(H/G/L/C)1	700H2	700G2	700L2	700C2	700F2
Ring-Extending Base (Specify if Premier Series with 8-40 Screws)	-	700XH2	700XG2	700XL2	700XC2	700XF2
BLASER Rifle, Original Model	BLASR(H/G/L/C)1	-	-	-	-	-
BRNO MAUSER, Round Receiver (Commercial)	HVA(H/G/L/C)1	HVAH2	HVAG2	HVAL2	HVAC2	HVAF2
Ring-Extending Base	-	HVAXH2	HVAXG2	HVAXL2	HVAXC2	HVAXF2
BRNO ZKK	-	BRNDTH2	BRNDTG2	BRNDTL2	BRNDTC2	BRNDTF2
BRNO ZKB, ZKM, ZKW	-	SBRNDTH2	SBRNDTG2	SBRNDTL2	SBRNDTC2	SBRNDTF2
Ring-Extending Base	-	LSADTH2	LSADTG2	LSADTL2	LSADTC2	LSADTF2
BRNO 98	-	FNH2	FNG2	FNL2	FNC2	FNXF2
Ring-Extending Base	-	FNXH2	FNXG2	FNXL2	FNXC2	FNXF2
BROWNING A-Bolt	-	1T567H2	1T567G2	1T567L2	1T567C2	1T567F2
BROWNING A-Bolt Short Action (.560" Rear Screw Spacing)	-	SSABOLTH2	SSABOLTG2	SSABOLTL2	SSABOLTC2	SSABOLTF2
BROWNING A-Bolt Shotgun	-	ABSHOTH2	ABSHOTG2	ABSHOTL2	ABSHOTC2	ABSHOTF2
BROWNING A-Bolt Mountain Ti (Titanium)	-	ABOLTH2	ABOLTG2	ABOLTL2	ABOLTC2	ABOLTF2
BROWNING T-Bolt	-	2H589H2	2H589G2	2H589L2	2H589C2	2H589F2
BROWNING X-Bolt	-	XBOLTH2	XBOLTG2	XBOLTL2	XBOLTC2	-
Ring-Extending Base	-	XBOLTXH2	XBOLTXG2	XBOLTXL2	XBOLTXC2	-
BROWNING BAR and BPR	BAR(H/G/L/C)1	BARH2	BARG2	BARL2	BARC2	BARF2
Extra-High Base	-	2H539H2	2H539G2	2H539L2	2H539C2	2H539F2
BROWNING BBR	-	BBRH2	BBRG2	BBRL2	BBRC2	BBRF2
Ring-Extending Base	-	BBRXH2	BBRXG2	BBRXL2	BBRXC2	BBRF2
BROWNING BLR Short Action	-	BLRH2	BLRG2	BLRL2	BLRC2	BLRF2
BROWNING BLR Long Action	-	BLRH2	BLRG2	BLRL2	BLRC2	BLRF2
BROWNING Buck Mark Pistols Made to Use Weaver Rings	-	WVRDTH2	WVRDTG2	WVRDTL2	WVRDTC2	WVRDTF2
BROWNING Euro-Bolt	-	3T059H2	3T059G2	3T059L2	3T059C2	3T059F2
BROWNING FN	FN(H/G/L/C)1	FNH2	FNG2	FNL2	FNC2	FNXF2
Ring-Extending Base	-	FNXH2	FNXG2	FNXL2	FNXC2	FNXF2
BROWNING Short FN (.243 and .308)	SFN(H/G/L/C)1	SFNH2	SFNG2	SFNL2	SFNC2	SFNF2
BROWNING Mountain Rifle	TC(H/G/L/C)1	-	-	-	-	-
BROWNING Sako (.222, etc.)	461(H/G/L/C)1	461H2	461G2	461L2	461C2	461F2
BROWNING Sako (.243, etc.)	579(H/G/L/C)1	579H2	579G2	579L2	579C2	579F2
BROWNING 52 Winchester	-	45T559H2	45T559G2	45T559L2	45T559C2	45T559F2
BROWNING B-78, Round Barrel, for 1" Rings**	-	RB78H2	RB78G2	RB78L2	RB78C2	RB78F2
BROWNING B-78, Round Barrel, Low Mount, Rear Ring Over Barrel	-	RB78LH2	RB78LG2	RB78LL2	RB78LC2	RB78LF2
BROWNING B-78, Octagon Barrel, Smaller Calibers, for 1" Rings*	-	OB78H2	OB78G2	OB78L2	OB78C2	OB78F2
BROWNING B-78, Octagon Barrel, Smaller Calibers, for 30mm Rings*	-	OB7830H2	OB7830G2	OB7830L2	OB7830C2	OB7830F2
BROWNING B-78, Octagon Barrel. 45-70 Government	-	HW1885H2	HW1885G2	HW1885L2	HW1885C2	HW1885F2
BROWNING 1885 High-Wall	-	HW1885H2	HW1885G2	HW1885L2	HW1885C2	HW1885F2
BROWNING 1885 Low-Wall for 1" Rings**	-	LW1885H2	LW1885G2	LW1885L2	LW1885C2	LW1885F2
BROWNING 1885 Low-Wall for 30mm Rings**	-	LW188530H2	LW188530G2	LW188530L2	LW188530C2	LW188530F2
BSA, .308 and Shorter Cartridges	MBSA(H/G/L/C)1	77H2	77G2	77L2	77C2	77F2
Ring-Extending Base	-	77XH2	77XG2	77XL2	77XC2	77XF2
BSA, .270 and Longer Cartridges	721(H/G/L/C)1	700H2	700G2	700L2	700C2	700F2
Ring-Extending Base	-	700XH2	700XG2	700XL2	700XC2	700XF2
BSA, Dovetailed, .30-06 and Shorter Cartridges	-	MBSADTH2	MBSADTG2	MBSADTL2	MBSADTC2	MBSADTF2
BSA, Dovetailed, .264 Winchester Magnum and Longer Cartridges	-	LBSADTH2	LBSADTG2	LBSADTL2	LBSADTC2	LBSADTF2
BSA Century (Rimfire)	-	SBRNDTH2	SBRNDTG2	SBRNDTL2	SBRNDTC2	SBRNDTF2
Ring-Extending Base	-	LSADTH2	LSADTG2	LSADTL2	LSADTC2	LSADTF2
CARL GUSTAF HUSQVARNA	CG(H/G/L/C)1	CGH2	CGG2	CGL2	CGC2	CGF2
Left-Hand Action	CGL(H/G/L/C)1	CGH2	CGG2	CGL2	CGC2	CGF2
Ring-Extending Base	-	HVAXH2	HVAXG2	HVAXL2	HVAXC2	HVAXF2
CARL GUSTAF 2000	-	3T549XH2	3T549XG2	3T549XL2	3T549XC2	3T549XF2
CARL GUSTAF 3000, 4000	-	SAURH2	SAURG2	SAURL2	SAURC2	SAURF2
Ring-Extending Base	-	3T549XH2	3T549XG2	3T549XL2	3T549XC2	3T549XF2
CHAMPLIN Big Game Rifle	CH(H/G/L/C)1	CHH2	CHG2	CHL2	CHC2	CHF2
CHRISTENSEN Bolt Actions With Same Shape Front/Rear (6-48 Drilling)	-	45T039H2	45T039G2	45T039L2	45T039C2	45T039F2
Ring-Extending Base	-	45T039XH2	45T039XG2	45T039XL2	45T039XC2	45T039XF2
CHRISTENSEN Bolt Actions With Same Shape Front/Rear (8-40 Drilling)	-	45T039#8H2	45T039#8G2	45T039#8L2	45T039#8C2	45T039#8F2
Ring-Extending Base	-	45T039#8XH2	45T039#8XG2	45T039#8XL2	45T039#8XC2	45T039#8XF2
CHRISTENSEN Short Bolt Actions Like Remington 700s (6-48 Drilling)	722(H/G/L/C)1	700H2	700G2	700L2	700C2	700F2
CHRISTENSEN Short Bolt Actions Like Remington 700s, Left-Hand (6-48 Drilling)	722L(H/G/L/C)1	700H2	700G2	700L2	700C2	700F2
CHRISTENSEN Long Bolt Actions Like Remington 700s (6-48 Drilling)	721(H/G/L/C)1	700H2	700G2	700L2	700C2	700F2
Ring-Extending Base	-	700XH2	700XG2	700XL2	700XC2	700XF2
CHRISTENSEN Long Bolt Actions Like Remington 700s, Left-Hand (6-48 Drilling)	721L(H/G/L/C)1	700H2	700G2	700L2	700C2	700F2
Ring-Extending: Base	-	700XH2	700XG2	700XL2	700XC2	700XF2
COLT AR-15, AR-16	AR15(H/G/L/C)1	-	-	-	-	-
COLT Coltsman 57, 58	FN(H/G/L/C)1	FNH2	FNG2	FNL2	FNC2	FNXF2
Ring-Extending Base	-	FNXH2	FNXG2	FNXL2	FNXC2	FNXF2
COLT SAUER Bolt-Action	-	-	-	-	-	-
COOPER Small Calibers	-	45HT569H2	45HT569G2	45HT569L2	45HT569C2	45HT569F2
Non-Overhanging Base for Cooper 21, etc. With Short Bridge, 1" Rings*	-	KMBRH2	KMBRG2	KMBRL2	KMBRC2	KMBRF2

Conetrol Base Stock Numbers

GUN MAKE & MODEL <i>Satin Stainless Steel Available for Many Guns</i>	BRIDGE BASES <i>(Four Grades)</i>	HUNTUR <i>2-Pc. (-H2)</i>	GUNNUR <i>2-Pc. (-G2)</i>	LIMITED <i>2-Pc. (-L2)</i>	CUSTUM <i>2-Pc. (-C2)</i>	FLUTED <i>2-Pc. (-F2)</i>
Non-Overhanging Base for Above Rifles, 30mm Rings*	-	KMBR30H2	KMBR30G2	KMBR30L2	KMBR30C2	KMBR30F2
COOPER 22, 52, 54, Large Calibers	-	HB61RH2	HB61RG2	HB61RL2	HB61RC2	HB61RF2
Non-Overhanging Base for COOPER 22, 52, 54, Large Calibers, 1" Rings*	-	LCOOPRH2	LCOOPRG2	LCOOPRL2	LCOOPRC2	LCOOPRF2
Non-Overhanging Base for COOPER 22, 52, 54, Large Calibers, 30mm Rings*	-	HB579H2	HB579G2	HB579L2	HB579C2	HB579F2
CZ-USA Rifles With Rimfire Tip-Off Grooves	-	RFDTH2	RFDTG2	RFDTL2	RFDTC2	RFDTF2
CZ-USA Rifles With Dovetail 3/4" Wide	-	CZDTH2	CZDTG2	CZDTL2	CZDTC2	CZDTF2
CZ-USA Rifles With Dovetail 5/8" Wide	-	SCZDTH2	SCZDTG2	SCZDTL2	SCZDTC2	SCZDTF2
Ring-Extending Base	-	LSADTH2	LSADTG2	LSADTL2	LSADTC2	LSADTF2
DAKOTA 76 (Advise Whether Drilled 6-48 or 8-40)	-	E70MH2	E70MG2	E70ML2	E70MC2	E70MF2
Ring-Extending Base	-	E70MXH2	E70MXG2	E70MXL2	E70MXC2	E70MXF2
DAKOTA 22 Long Rifle	-	DAK22H2	DAK22G2	DAK22L2	DAK22C2	DAK22F2
EMPIRE MAUSER (Screw Attachment)	-	EMPIREH2	EMPIREG2	EMPIREL2	EMPIREC2	EMPIREF2
ENFIELD '17, Bridge Flat, .090" Below Front	ENF(H/G/L/C)1	ENFH2	ENFG2	ENFL2	ENFC2	ENFF2
ENFIELD '17, Bridge Round Like Front	30(H/G/L/C)1	30H2	30G2	30L2	30C2	30F2
Ring-Extending Base	-	30XH2	30XG2	30XL2	30XC2	30XF2
FFV	-	- See CARL GUSTAF HUSQVARNA -				
FN MAUSER (Commercial)	FN(H/G/L/C)1	FNH2	FNG2	FNL2	FNC2	FNF2
Ring-Extending Base	-	FNXH2	FNXG2	FNXL2	FNXC2	FNXF2
GONIC ARMS GA-87	-	51H599H2	51H599G2	51H599L2	51H599C2	51H599F2
HAENEL Single-Shot	-	SBRNDTH2	SBRNDTG2	SBRNDTL2	SBRNDTC2	SBRNDTF2
HALL Standard Action	-	45T539H2	45T539G2	45T539L2	45T539C2	45T539F2
HALL Mod. B	-	45T088H2	45T088G2	45T088L2	45T088C2	45T088F2
HALL Mod. M	-	45T019H2	45T019G2	45T019L2	45T019C2	45T019F2
H&R Ultra Automatic	ULTM(H/G/L/C)1	ULTMH2	ULTMG2	ULTML2	ULTMC2	ULTMF2
H&R Ultra "Wildcat," Dovetailed	-	461DTH2	461DTG2	461DTL2	461DTC2	461DTF2
H&R MAUSER-Style Bolt-Action	FN(H/G/L/C)1	FNH2	FNG2	FNL2	FNC2	FNF2
Ring-Extending Base	-	FNXH2	FNXG2	FNXL2	FNXC2	FNXF2
H&R SAKO Round Receivers	-	- See SAKO Round Receivers -				
H&R Single-Shot Center Fires	HR700(H/G/L/C)1	-	-	-	-	-
H&R 700, SB-2, Topper 158	HR700(H/G/L/C)1	-	-	-	-	-
HART No. 1	-	45T029H2	45T029G2	45T029L2	45T029C2	45T029F2
HART No. 1A Action	-	45T508H2	45T508G2	45T508L2	45T508C2	45T508F2
HART No. 2A Action	-	45T019H2	45T019G2	45T019L2	45T019C2	45T019F2
HART No. 4 Action	-	45T088H2	45T088G2	45T088L2	45T088C2	45T088F2
HECKLER & KOCH With Slope on Each Side of Receiver Top	H&KDT(H/G/L/C)1	-	-	-	-	-
HECKLER & KOCH Round Receiver With Mounting Rib	H&KDT(H/G/L/C)1	H&KDTH2	H&KDTG2	H&KDTL2	H&KDTC2	H&KDTF2
HECKLER & KOCH HK-BASR	-	45T529H2	45T529G2	45T529L2	45T529C2	45T529F2
HECKLER & KOCH SLB 2000 (Confirm Screw Size/Spacing)	-	742H2	742G2	742L2	742C2	742F2
HENRY Centerfires (Flat-Top)	336(H/G/L/C)1	336H2	336G2	336L2	336C2	336F2
HERTER J9 MAUSER	FN(H/G/L/C)1	J9H2	J9G2	J9L2	J9C2	J9F2
Ring-Extending Base	-	FNXH2	FNXG2	FNXL2	FNXC2	FNXF2
HERTER U9, .308 and Shorter	MBSA(H/G/L/C)1	77H2	77G2	77L2	77C2	77F2
HERTER U9, .270 and Longer	721(H/G/L/C)1	700H2	700G2	700L2	700C2	700F2
Ring-Extending Base	-	700XH2	700XG2	700XL2	700XC2	700XF2
HERTER U9, Dovetailed, .30-06 and Shorter Cartridges	-	MBSADTH2	MBSADTG2	MBSADTL2	MBSADTC2	MBSADTF2
HERTER U9, Dovetailed, .264 Winchester Magnum and Longer Cartridges	-	LBSADTH2	LBSADTG2	LBSADTL2	LBSADTC2	LBSADTF2
HEYM SR-20	-	3000H2	3000G2	3000L2	3000C2	3000F2
Ring-Extending Base	-	3000XH2	3000XG2	3000XL2	3000XC2	3000XF2
HEYM SR-40	-	53H059H2	53H059G2	53H059L2	53H059C2	53H059F2
HOWA 1500, Short Action	722(H/G/L/C)1	700H2	700G2	700L2	700C2	700F2
HOWA 1500 Super Lite, Short Action (Bridge Base Uses Only One Rear Attachment Screw)	722(H/G/L/C)1	HOWASLH2	HOWASLG2	HOWASL2	HOWASLC2	HOWASLF2
HOWA 1500, Long Action	721(H/G/L/C)1	700H2	700G2	700L2	700C2	700F2
Ring-Extending Base	-	700XH2	700XG2	700XL2	700XC2	700XF2
HUSQVARNA HVA	HVA(H/G/L/C)1	HVAH2	HVAG2	HVAL2	HVAC2	HVAF2
Ring-Extending Base	-	HVAXH2	HVAXG2	HVAXL2	HVAXC2	HVAXF2
HUSQVARNA, Large-Ring	FN(H/G/L/C)1	FNH2	FNG2	FNL2	FNC2	FNF2
Ring-Extending Base	-	FNXH2	FNXG2	FNXL2	FNXC2	FNXF2
HUSQVARNA 1900, 8000, 9000	CG(H/G/L/C)1	CGH2	CGG2	CGL2	CGC2	CGF2
Ring-Extending Base	-	HVAXH2	HVAXG2	HVAXL2	HVAXC2	HVAXF2
INTERARMS Mark X, Whitworth	FN(H/G/L/C)1	J9H2	J9G2	J9L2	J9C2	J9F2
Ring-Extending Base	-	FNXH2	FNXG2	FNXL2	FNXC2	FNXF2
INTERARMS Firearms Made by HOWA	-	- See HOWA -				
INTERARMS Mini-Mark X	-	MMSRH2	MMSRG2	MMSRL2	MMSRC2	MMSRF2
INTERARMS Virginia Dragoon Revolver	-	ULTMH2	ULTMG2	ULTML2	ULTMC2	ULTMF2
ITHACA Firearms Made by TIKKA	-	- See TIKKA -				
ITHACA 87 Deer Slayer II	742(H/G/L/C)1	742H2	742G2	742L2	742C2	742F2
KDF (KLEINGUENTHER) K-14, Shikar (Flat-Top)	-	VOERH2	VOERG2	VOERL2	VOERC2	VOERF2
Ring-Extending Base	-	VOERXH2	VOERXG2	VOERXL2	VOERXC2	VOERXF2
KDF (KLEINGUENTHER) K-15	-	K15H2	K15G2	K15L2	K15C2	K15F2
Ring-Extending Base	-	K15XH2	K15XG2	K15XL2	K15XC2	K15XF2
KDF (KLEINGUENTHER) K-16	-	53H069H2	53H069G2	53H069L2	53H069C2	53H069F2
KDF (KLEINGUENTHER) K-22 (Screw Attachment)	-	31H389H2	31H389G2	31H389L2	31H389C2	31H389F2
<i>KIMBER FIREARMS NOTE: Newer Kimber Firearms (Below) May Be Drilled and Tapped for Larger 8-40 Screws Instead of 6-48s. Please Specify Screw Size.</i>						
KIMBER, 1.300" Diam. Receiver, Bridge Round Like Front	-	HB61RH2	HB61RG2	HB61RL2	HB61RC2	HB61RF2
KIMBER Big-Game Rifle	-	BGRH2	BGRG2	BGR2	BGR2	BGR2
Ring-Extending Base	-	70XH2	70XG2	70XL2	70XC2	70XF2
With Integral Dovetail	-	BGRDTH2	BGRDTG2	BGRDTL2	BGRDTC2	BGRDTF2
KIMBER 84, 84L, 84M, Predator Pistol, etc. With Different Screw-Spacing Front and Rear	-	45HT569H2	45HT569G2	45HT569L2	45HT569C2	45HT569F2
Non-Overhanging Base for Above Rifles With Short Bridge, 1" Rings*	-	KMBRH2	KMBRG2	KMBRL2	KMBRC2	KMBRF2
Non-Overhanging Base for Above, 30mm Rings*	-	KMBR30H2	KMBR30G2	KMBR30L2	KMBR30C2	KMBR30F2
KIMBER 82 With 0.860" Screw-Spacing Front and Rear	-	4T569H2	4T569G2	4T569L2	4T569C2	4T569F2
Grooved-Receiver Base	-	BGRDTH2	BGRDTG2	BGRDTL2	BGRDTC2	BGRDTF2
KIMBER 82, 82C, 84C, Mini-Mauser (1/2" Screw-Spacing Front and Rear)	-	53H569H2	53H569G2	53H569L2	53H569C2	53H569F2
KIMBER Swedish MAUSER 96	-	SRMH2	SRMG2	SRML2	SRMC2	SRMF2
Ring-Extending Base	-	SRMXH2	SRMXG2	SRMXL2	SRMXC2	SRMXF2
KIMBER Mauser 98	-	J9H2	J9G2	J9L2	J9C2	J9F2
Ring-Extending Base	-	FNXH2	FNXG2	FNXL2	FNXC2	FNXF2
KIMBER K770, Long Action	721(H/G/L/C)1	700H2	700G2	700L2	700C2	700F2

Conetrol Base Stock Numbers

GUN MAKE & MODEL <i>Satin Stainless Steel Available for Many Guns</i>	BRIDGE BASES <i>(Four Grades)</i>	HUNTUR 2-Pc. (-H2)	GUNNUR 2-Pc. (-G2)	LIMITED 2-Pc. (-L2)	CUSTUM 2-Pc. (-C2)	FLUTED 2-Pc. (-F2)
KIMBER 8400	-	8400H2	8400G2	8400L2	8400C2	8400F2
Ring-Extending Base	-	8400XH2	8400XG2	8400XL2	8400XC2	8400XF2
<i>KIMBER FIREARMS NOTE: Newer Kimber Firearms (Above) May Be Drilled and Tapped for Larger 8-40 Screws Instead of 6-48s. Please Specify Screw Size.</i>						
<i>– See MODERN MUZZLE LOADING –</i>						
KNIGHT Rifles						
KRAG	SMR(H/G/L/C)1	-	-	-	-	-
KRICO, Round Receiver	-	KRICOH2	KRICOG2	KRICO2	KRICO2	KRICO2
KRICO, Dovetailed Receiver	-	SBRNDTH2	SBRNDTG2	SBRNDTL2	SBRNDTC2	SBRNDTF2
Ring-Extending Base	-	LSADTH2	LSADTG2	LSADTL2	LSADTC2	LSADTF2
LEGENDARY ARMS WORKS 704	-	45T039#8H2	45T039#8G2	45T039#8L2	45T039#8C2	45T039#8F2
Ring-Extending Base	-	45T039#8XH2	45T039#8XG2	45T039#8XL2	45T039#8XC2	45T039#8XF2
MAGNUM RESEARCH Short Action	722(H/G/L/C)1	77H2	77G2	77L2	77C2	77F2
MAGNUM RESEARCH Long Action	721(H/G/L/C)1	700H2	700G2	700L2	700C2	700F2
Ring-Extending Base	-	700XH2	700XG2	700XL2	700XC2	700XF2
MANNLICHER-SCHONAUER M-72 (STEYR)	-	72H2	72G2	72L2	72C2	72F2
MANNLICHER-SCHONAUER, Older Split-Bridge Model						
<i>– Please Contact Us for Options –</i>						
MARLIN Camp Carbine	-	336H2	336G2	336L2	336C2	336F2
MARLIN MR-7, XL-7	70(H/G/L/C)1	70H2	70G2	70L2	70C2	70F2
MARLIN 39A	39A(H/G/L/C)1	-	-	-	-	-
MARLIN 36, 336, 922, 1895	336(H/G/L/C)1	336H2	336G2	336L2	336C2	336F2
MARLIN 455	FN(H/G/L/C)1	FNH2	FNG2	FN2	FNC2	FN2
Ring-Extending Base	-	FNXH2	FNXG2	FNXL2	FNXC2	FNXF2
MARLIN 1894, 444 Sporter	-	336H2	336G2	336L2	336C2	336F2
MAUSER, Most Commercial Versions	FN(H/G/L/C)1	FNH2	FNG2	FN2	FNC2	FN2
Ring-Extending Base	-	FNXH2	FNXG2	FNXL2	FNXC2	FNXF2
MAUSER, Large-Ring (Military, 0.435" Rear Screw Spacing)	LRM(H/G/L/C)1	LRMH2	LRMG2	LRML2	LRMC2	LRMF2
Ring-Extending Base	-	LRMXH2	LRMXG2	LRMXL2	LRMXC2	LRMXF2
MAUSER, Large-Ring, Short (Military, 0.435" Rear Screw Spacing)	SLRM(H/G/L/C)1	LRMH2	LRMG2	LRML2	LRMC2	LRMF2
MAUSER, Small-Ring (Military, 0.435" Rear Screw Spacing)	SRM(H/G/L/C)1	SRMH2	SRMG2	SRML2	SRMC2	SRMF2
Ring-Extending Base	-	SRMXH2	SRMXG2	SRMXL2	SRMXC2	SRMXF2
MAUSER, Small-Ring, Short (Military, 0.435" Rear Screw Spacing)	SSRM(H/G/L/C)1	SRMH2	SRMG2	SRML2	SRMC2	SRMF2
MAUSER 201 (Rimfire, Screw Attachment)	-	31H389H2	31H389G2	31H389L2	31H389C2	31H389F2
MAUSER 77	-	MSR77H2	MSR77G2	MSR77L2	MSR77C2	MSR77F2
MAUSER 99, 2250	-	K15H2	K15G2	K15L2	K15C2	K15F2
Ring-Extending Base	-	K15XH2	K15XG2	K15XL2	K15XC2	K15XF2
MAUSER 66/660, 7mm Remington Magnum and Smaller (Requires Drilling and Tapping for Front Segment)	-	S66H2	S66G2	S66L2	S66C2	S66F2
Non Overhanging Rear, for 1" Rings*	-	S661H2	S661G2	S661L2	S661C2	S661F2
Non Overhanging Rear, for 30mm Rings*	-	S6630H2	S6630G2	S6630L2	S6630C2	S6630F2
MAUSER 66/660, .375 H&H and Larger (Requires Drilling and Tapping for Front Segment)	-	L66H2	L66G2	L66L2	L66C2	L66F2
MAUSER SR-20, 2000, 3000	-	3000H2	3000G2	3000L2	3000C2	3000F2
Ring-Extending Base	-	3000XH2	3000XG2	3000XL2	3000XC2	3000XF2
MAUSER SR-40, 4000	-	53H059H2	53H059G2	53H059L2	53H059C2	53H059F2
MCMILLAN Bolt Action	-	3T549H2	3T549G2	3T549L2	3T549C2	3T549F2
Ring-Extending Base	-	3T549XH2	3T549XG2	3T549XL2	3T549XC2	3T549XF2
MIDLAND*	-	2100H2	2100G2	2100L2	2100C2	2100F2
MODERN MUZZLE LOADING Flat-Top With 0.860" Screw Spacing	-	DGAH2	DGAG2	DGAL2	DGAC2	DGAF2
MODERN MUZZLE LOADING Legend With 1/2" Screw Spacing	-	31H389H2	31H389G2	31H389L2	31H389C2	31H389F2
MODERN MUZZLE LOADING Legend With 0.860" Screw Spacing	-	31T389H2	31T389G2	31T389L2	31T389C2	31T389F2
MODERN MUZZLE LOADING Guns With 1.125" Diameter Receiver	-	53H069H2	53H069G2	53H069L2	53H069C2	53H069F2
MOSSBERG Firearms Made by HOWA						
<i>– See HOWA –</i>						
MOSSBERG 472	-	45H068H2	45H068G2	45H068L2	45H068C2	45H068F2
MOSSBERG 500 Shotgun	-	45H019H2	45H019G2	45H019L2	45H019C2	45H019F2
MOSSBERG 695 Bolt Shotgun	-	2H539H2	2H539G2	2H539L2	2H539C2	2H539F2
MOSSBERG 835 Shotgun	-	45H019#8H2	45H019#8G2	45H019#8L2	45H019#8C2	45H019#8F2
MOSSBERG 800*	-	800H2	800G2	800L2	800C2	800F2
MOSSBERG 810, 812, RM-7	-	810H2	810G2	810L2	810C2	810F2
MUSGRAVE Mark I, Mark II	-	MSGRVH2	MSGRVG2	MSGRVL2	MSGRVC2	MSGRVF2
MUSGRAVE Mark III, Mark IV	-	FNH2	FNG2	FN2	FNC2	FN2
Ring-Extending Base	-	FNXH2	FNXG2	FNXL2	FNXC2	FNXF2
MUSGRAVE 85, 90	-	70H2	70G2	70L2	70C2	70F2
Ring-Extending Base	-	70XH2	70XG2	70XL2	70XC2	70XF2
NESIKA Regular Action	-	45T039#8H2	45T039#8G2	45T039#8L2	45T039#8C2	45T039#8F2
NESIKA K Action	-	45T029#8H2	45T029#8G2	45T029#8L2	45T029#8C2	45T029#8F2
NESIKA L Action	-	45T088#8H2	45T088#8G2	45T088#8L2	45T088#8C2	45T088#8F2
NIKKO Golden Eagle	-	7000H2	7000G2	7000L2	7000C2	7000F2
Ring-Extending Base	-	7000XH2	7000XG2	7000XL2	7000XC2	7000XF2
NOSLER Mod. 48 (Short or Long)	-	700H2	700G2	700L2	700C2	700F2
Ring-Extending Base	-	700XH2	700XG2	700XL2	700XC2	700XF2
OMEGA III	-	OMGH2	OMGG2	OMGL2	OMGC2	OMGF2
PARKER-HALE Bolt-Action	FN(H/G/L/C)1	FNH2	FNG2	FN2	FNC2	FN2
Ring-Extending Base	-	FNXH2	FNXG2	FNXL2	FNXC2	FNXF2
PARKER-HALE Hussar (Dovetailed)	-	BRNDTH2	BRNDTG2	BRNDTL2	BRNDTC2	BRNDTF2
PICATINNY RAILS (Various Guns)	-	WVRDTH2	WVRDTG2	WVRDTL2	WVRDTC2	WVRDTF2
RANGER ARMS						
<i>– See TEXAS MAGNUM/MAVERICK –</i>						
REMINGTON Mod. 4, Mod. 6	-	4&6H2	4&6G2	4&6L2	4&6C2	4&6F2
Ring-Extending Base	-	4&6XH2	4&6XG2	4&6XL2	4&6XC2	4&6XF2
REMINGTON Mod. 7, 673 (With Two Screw-Holes in Bridge)	600(H/G/L/C)1	600H2	600G2	600L2	600C2	600F2
Ring-Extending Base	-	600XH2	600XG2	600XL2	600XC2	600XF2
REMINGTON 30-S	30(H/G/L/C)1	30H2	30G2	30L2	30C2	30F2
Ring-Extending Base	-	30XH2	30XG2	30XL2	30XC2	30XF2
REMINGTON XP-100 Pistol	600(H/G/L/C)1	600H2	600G2	600L2	600C2	600F2
3-Ring Base	6003(H/G/L/C)1	-	-	-	-	-
Short-Ring Spacing Base	SRS600(H/G/L/C)1	-	-	-	-	-
Scope Location on Barrel Rib	F600(H/G/L/C)1	-	-	-	-	-
REMINGTON 241	-	45T539XH2	45T539XG2	45T539XL2	45T539XC2	45T539XF2
REMINGTON 504	-	45P059H2	45P059G2	45P059L2	45P059C2	45P059F2
REMINGTON 541 (Screw Attachment)	-	31H389H2	31H389G2	31H389L2	31H389C2	31H389F2
REMINGTON 600, 660 (With One Screw-Hole in Bridge, Two-Piece Base Requires Drilling and Tapping of Second Hole in Bridge)	600(H/G/L/C)1	600H2	600G2	600L2	600C2	600F2

Conetrol Base Stock Numbers

GUN MAKE & MODEL <i>Satin Stainless Steel Available for Many Guns</i>	BRIDGE BASES <i>(Four Grades)</i>	HUNTUR 2-Pc. (-H2)	GUNNUR 2-Pc. (-G2)	LIMITED 2-Pc. (-L2)	CUSTUM 2-Pc. (-C2)	FLUTED 2-Pc. (-F2)
Forward Scope Location	M600(H/G/L/C)1	-	-	-	-	-
REMINGTON Short 700, 722, 725, 40X, ETRONX	722(H/G/L/C)1	700H2	700G2	700L2	700C2	700F2
REMINGTON Short 700, Left-Hand	722L(H/G/L/C)1	700H2	700G2	700L2	700C2	700F2
REMINGTON Long 700, 721, 725, 40X	721(H/G/L/C)1	700H2	700G2	700L2	700C2	700F2
Ring-Extending Base	-	700XH2	700XG2	700XL2	700XC2	700XF2
REMINGTON Long 700, Left-Hand	721L(H/G/L/C)1	700H2	700G2	700L2	700C2	700F2
Ring-Extending Base	-	700XH2	700XG2	700XL2	700XC2	700XF2
REMINGTON 710	-	150R56H2	150R56G2	150R56L2	150R56C2	150R56F2
REMINGTON 740, 742, 760	742(H/G/L/C)1	742H2	742G2	742L2	742C2	742F2
REMINGTON 783	-	45T039H2	45T039G2	45T039L2	45T039C2	45T039F2
Ring-Extending Base	-	45T039XH2	45T039XG2	45T039XL2	45T039XC2	45T039XF2
REMINGTON Short 788 (.44 Mag, etc.)	5788(H/G/L/C)1	788H2	788G2	788L2	788C2	788F2
REMINGTON Long 788 (.222, .225, .30-30, etc.)	L788(H/G/L/C)1	788H2	788G2	788L2	788C2	788F2
REMINGTON Extra-Long 788 (.243, 6mm Rem., .308, etc.)	XL788(H/G/L/C)1	788H2	788G2	788L2	788C2	788F2
Ring-Extending Base	-	788XH2	788XG2	788XL2	788XC2	788XF2
REMINGTON 798 MAUSER	-	J9H2	J9G2	J9L2	J9C2	J9F2
Ring-Extending Base	-	FNXH2	FNXG2	FNXL2	FNXC2	FNXF2
REMINGTON 799 Mini-Mauser	-	MMSRH2	MMSRG2	MMSRL2	MMSRC2	MMSRF2
REMINGTON Shotguns 870, 1100	-	45T539H2	45T539G2	45T539L2	45T539C2	45T539F2
REMINGTON 750, 7400, 7600	-	7400H2	7400G2	7400L2	7400C2	7400F2
Ring-Extending Base	-	7400XH2	7400XG2	7400XL2	7400XC2	7400XF2
RIMFIRE-TYPE TIP-OFF GROOVED RECEIVERS (Open-Ended Grooves on Various Guns)	-	RFDTX2	RFDTG2	RFDTL2	RFDTX2	RFDTF2
Ring-Extending Base	-	RFDTXH2	RFDTXG2	RFDTXL2	RFDTXC2	RFDTXF2
RUGER American, Rimfire	-	51H599H2	51H599G2	51H599L2	51H599C2	51H599F2
RUGER American, Non-Rimfire	-	45T549H2	45T549G2	45T549L2	45T549C2	45T549F2
Ring-Extending Base	-	45T549XH2	45T549XG2	45T549XL2	45T549XC2	45T549XF2
RUGER Automatic Pistol (Requires Drilling and Tapping)	-	31H389H2	31H389G2	31H389L2	31H389C2	31H389F2
RUGER Handguns With Level Mounting Rib	-	HRUGDTH2	HRUGDTG2	HRUGDTL2	HRUGDTC2	HRUGDTF2
RUGER Revolvers With Adjustable Sights	-	-	-	-	-	-
Ring-Extending Base	BH(H/G/L/C)1	-	-	-	-	-
RUGER Carbine	BH3(H/G/L/C)1	-	-	-	-	-
RUGER Number One Not Equipped With Quarter Rib	-	RUGH2	RUGG2	RUGL2	RUGC2	RUGF2
RUGER Number One With Quarter Rib	-	#1H2	#1G2	#1L2	#1C2	#1F2
Rib-Replacing Base, 1-A, 1-AB, 1-RS1	SH1R(H/G/L/C)1	-	-	-	-	-
Rib-Replacing Base, 1-B, 1-H, 1-S, 1-V	LH1R(H/G/L/C)1	-	-	-	-	-
RUGER Number Three	-	#3H2	#3G2	#3L2	#3C2	#3F2
RUGER Short 77	-	S77DTH2	S77DTG2	S77DTL2	S77DTC2	S77DTF2
RUGER Long 77, Express Rifle, 77 Magnum	-	77DTH2	77DTG2	77DTL2	77DTC2	77DTF2
RUGER 77, Round Receiver	L77(H/G/L/C)1	77H2	77G2	77L2	77C2	77F2
RUGER 77/17, 77/22, 77/44, 77/50, 96/44, PC9	-	RUGDTH2	RUGDTG2	RUGDTL2	RUGDTC2	RUGDTF2
RUGER 10/22	1022(H/G/L/C)1	1022H2	1022G2	1022L2	1022C2	1022F2
RUGER 10/22 Magnum, 99/44, Ranch Rifle, Mini-14	-	HRUGDTH2	HRUGDTG2	HRUGDTL2	HRUGDTC2	HRUGDTF2
SAKO Finn Scout, P-72, 78 (Screw Attachment)	-	45T059H2	45T059G2	45T059L2	45T059C2	45T059F2
SAKO Finnwolf, 73	FW(H/G/L/C)1	45T088H2	45T088G2	45T088L2	45T088C2	45T088F2
<i>SAKO TAPERED DOVETAILS (Below): If not sure of action length, specify lengths of both front and rear dovetails.</i>						
Sako L-461, Short 74, 75-I, 75-II (Dovetailed)	-	461DTH2	461DTG2	461DTL2	461DTC2	461DTF2
Sako L-579, Medium 74, 75-II, IV-V (Dovetailed)	-	579DTH2	579DTG2	579DTL2	579DTC2	579DTF2
Short-Ring-Spacing Base	-	SR5579DTH2	SR5579DTG2	SR5579DTL2	SR5579DTC2	SR5579DTF2
Sako L-61R, Long 74 (Dovetailed)	-	61RDTH2	61RDTC2	61RDL2	61RDC2	61RDF2
Short-Ring-Spacing Base	-	SR561DTH2	SR561DTG2	SR561DTL2	SR561DTC2	SR561DTF2
<i>SAKO TAPERED DOVETAILS (Above): If not sure of action length, specify lengths of both front and rear dovetails.</i>						
SAKO, Round Receiver, Short*	-	HB461H2	HB461G2	HB461L2	HB461C2	HB461F2
SAKO, Round Receiver, Medium*	-	HB579H2	HB579G2	HB579L2	HB579C2	HB579F2
SAKO, Round Receiver, Long	-	HB61RH2	HB61RG2	HB61RL2	HB61RC2	HB61RF2
Ring-Extending Base	-	HB61RXH2	HB61RXG2	HB61RXL2	HB61RXC2	HB61RFX2
SAUER Bolt-Action, High-Power	-	SAURH2	SAURG2	SAURL2	SAURC2	SAURF2
Ring-Extending Base	-	3T549XH2	3T549XG2	3T549XL2	3T549XC2	3T549XF2
1/2" Screw-Spacing Front and Rear	-	45H549H2	45H549G2	45H549L2	45H549C2	45H549F2
SAUER 200	-	45T539H2	45T539G2	45T539L2	45T539C2	45T539F2
Ring-Extending Base	-	45T539XH2	45T539XG2	45T539XL2	45T539XC2	45T539XF2
SAUER 202	-	202H2	202G2	202L2	202C2	202F2
Ring-Extending Base	-	202XH2	202XG2	202XL2	202XC2	202XF2
SAVAGE ANSCHUTZ Rimfires (Screw Attachment)	153(H/G/L/C)1	45H059H2	45H059G2	45H059L2	45H059C2	45H059F2
SAVAGE Striker Handgun (Bridge Flat)	-	110H2	110G2	110L2	110C2	110F2
SAVAGE Sport Striker Handguns (Bridge Round Like Front)	-	<i>- Give Screw-Hole Spacings and Diameter of Receiver -</i>				
SAVAGE High-Power Bolt Actions With Bridge Round Like Front (6-8 Drilling)	-	3T549H2	3T549G2	3T549L2	3T549C2	3T549F2
Ring-Extending Base	-	3T549XH2	3T549XG2	3T549XL2	3T549XC2	3T549XF2
SAVAGE High-Power Bolt Actions With Bridge Round Like Front (8-40 Drilling)	-	45T549H2	45T549G2	45T549L2	45T549C2	45T549F2
Ring-Extending Base	-	45T549XH2	45T549XG2	45T549XL2	45T549XC2	45T549XF2
SAVAGE Small Caliber Rifles With Bridge Round Like Front	-	<i>- Give Screw-Hole Spacings and Diameter of Receiver -</i>				
SAVAGE 24V	24V(H/G/L/C)1	24VH2	24VG2	24VL2	24VC2	24VF2
SAVAGE 93, MARK II	-	51H599H2	51H599G2	51H599L2	51H599C2	51H599F2
SAVAGE 99	99(H/G/L/C)1	99H2	99G2	99L2	99C2	99F2
SAVAGE Short 110, 111, 112 (Bridge Flat)	S110(H/G/L/C)1	110H2	110G2	110L2	110C2	110F2
Ring-Extending Base	-	110XH2	110XG2	110XL2	110XC2	110XF2
SAVAGE Short 110, Left-Hand (Bridge Flat)	S110L(H/G/L/C)1	110H2	110G2	110L2	110C2	110F2
SAVAGE Long 110, 111, 112, 114, 116 (Bridge Flat)	L110(H/G/L/C)1	110H2	110G2	110L2	110C2	110F2
Ring-Extending Base	-	110XH2	110XG2	110XL2	110XC2	110XF2
SAVAGE Long 110, Left-Hand (Bridge Flat)	L110L(H/G/L/C)1	110H2	110G2	110L2	110C2	110F2
SAVAGE 170	742(H/G/L/C)1	742H2	742G2	742L2	742C2	742F2
SAVAGE 210 Shotgun	-	45T039H2	45T039G2	45T039L2	45T039C2	45T039F2
SAVAGE 210 Slug Gun (Bridge Flat)	L110(H/G/L/C)1	110H2	110G2	110L2	110C2	110F2
SAVAGE 2400	-	461DTH2	461DTG2	461DTL2	461DTC2	461DTF2
SCHULTZ & LARSEN High-Power Bolt Action	S&L(H/G/L/C)1	S&LH2	S&LG2	S&LL2	S&LC2	S&LF2
Ring-Extending Base	-	S&LXH2	S&LXG2	S&LXL2	S&LXC2	S&LXF2
SCHULTZ & LARSEN With 1/2" Screw-Spacing Front and Rear	-	BLRH2	BLRG2	BLRL2	BLRC2	BLRF2
SHILEN BP	-	SAURH2	SAURG2	SAURL2	SAURC2	SAURF2
SHILEN DGA	-	DGAH2	DGAG2	DGAL2	DGAC2	DGAF2
Ring-Extending Base	-	DGAXH2	DGAXG2	DGAXL2	DGAXC2	DGAXF2
SMITH & WESSON Firearms Made by HOWA	-	<i>- See HOWA -</i>				

Conetrol Base Stock Numbers

GUN MAKE & MODEL <i>Satin Stainless Steel Available for Many Guns</i>	BRIDGE BASES <i>(Four Grades)</i>	HUNTUR <i>2-Pc. (-H2)</i>	GUNNUR <i>2-Pc. (-G2)</i>	LIMITED <i>2-Pc. (-L2)</i>	CUSTUM <i>2-Pc. (-C2)</i>	FLUTED <i>2-Pc. (-F2)</i>
SMITH & WESSON K-, L-, N-Frame Revolvers	KLN(H/G/L/C)1	-	-	-	-	-
SMITH & WESSON K-, L-, N-Frame Revolvers, 3-Ring Base	KLN3(H/G/L/C)1	-	-	-	-	-
SMITH & WESSON No. 41 Pistol	ULTM(H/G/L/C)1	ULTMH2	ULTMG2	ULTML2	ULTMC2	ULTMF2
SPRINGFIELD 1903	03(H/G/L/C)1	03H2	03G2	03L2	03C2	03F2
.22 Caliber	-	03H2	03G2	03L2	03C2	03F2
Ring-Extending Base	-	03XH2	03XG2	03XL2	03XC2	03XF2
SPRINGFIELD 1903-A3	A3(H/G/L/C)1	A3H2	A3G2	A3L2	A3C2	A3F2
SPRUNGFELD ARMORY Model 2020 Short Action (Advise if 8-40 Screws)	722(H/G/L/C)1	700H2	700G2	700L2	700C2	700F2
SPRUNGFELD ARMORY Model 2020 Long Action (Advise if 8-40 Screws)	721(H/G/L/C)1	700H2	700G2	700L2	700C2	700F2
Ring-Extending Base (Advise if 8-40 Screws)	-	700XH2	700XG2	700XL2	700XC2	700XF2
SPRUNGFELD ARMORY Model 2020 Rimfire (Advise if 8-40 Screws)	-	45HT569H2	45HT569G2	45HT569L2	45HT569C2	45HT569F2
STEYR, Dovetailed Receiver	-	LSADTH2	LSADTG2	LSADTL2	LSADTC2	LSADTF2
STEYR SBS, SM12 (0.860" Screw Spacing Front and Rear)	-	1T567H2	1T567G2	1T567L2	1T567C2	1T567F2
STEYR-MANNLICHER SJ, L (Short)	-	LH2	LG2	LL2	LC2	LF2
STEYR-MANNLICHER M (Medium)	-	MH2	MG2	ML2	MC2	MF2
STEYR-MANNLICHER M, Left-Hand (Medium)	-	MLH2	MLG2	MLL2	MLC2	MLF2
STEYR-MANNLICHER S, St (Long)	-	STEYRH2	STEYRG2	STEYRL2	STEYRC2	STEYRF2
(STEYR) MANNLICHER-SCHONAUER M-72	-	72H2	72G2	72L2	72C2	72F2
STEYR Zephyr (16mm-Wide Dovetail, Half-Inch Long in Front)	-	LSAZDTH2	LSAZDTG2	LSAZDTL2	LSAZDTC2	LSAZDTF2
STEYR Zephyr (11mm-Wide Dovetail, Half-Inch Long in Front)	-	RFZDTH2	RFZDTG2	RFZDTL2	RFZDTC2	RFZDTF2
STEYR Zephyr II (11mm-Wide Dovetail, Inch Long in Front)	-	RFDTH2	RFDTG2	RFDTL2	RFDTC2	RFDTF2
STILLER Hunting Bolt Actions	-	45T039H2	45T039G2	45T039L2	45T039C2	45T039F2
Ring-Extending Base	-	45T039XH2	45T039XG2	45T039XL2	45T039XC2	45T039XF2
STILLER Hunting Bolt Actions (8-40 Drilling)	-	45T039#8H2	45T039#8G2	45T039#8L2	45T039#8C2	45T039#8F2
Ring-Extending Base	-	45T039#8XH2	45T039#8XG2	45T039#8XL2	45T039#8XC2	45T039#8XF2
TEXAS MAGNUM	TMG(H/G/L/C)1	TMH2	TMG2	TML2	TMC2	TMF2
TEXAS MAGNUM, Left-Hand	TMGL(H/G/L/C)1	TMH2	TMG2	TML2	TMC2	TMF2
TEXAS MAVERICK	TMV(H/G/L/C)1	TMH2	TMG2	TML2	TMC2	TMF2
TEXAS MAVERICK, Left-Hand	TMVL(H/G/L/C)1	TMH2	TMG2	TML2	TMC2	TMF2
THOMPSON/CENTER .22 Classic	-	52E508H2	52E508G2	52E508L2	52E508C2	52E508F2
THOMPSON/CENTER Compass, Venture	-	45T549H2	45T549G2	45T549L2	45T549C2	45T549F2
Ring-Extending Base	-	45T549XH2	45T549XG2	45T549XL2	45T549XC2	45T549XF2
THOMPSON/CENTER Contender And Contender Carbine	-	CTDR(H/G/L/C)1	-	-	-	-
3-Ring Base	-	CTDR3(H/G/L/C)1	-	-	-	-
3-Ring Base for Short-Front Scopes	-	SCTDR3(H/G/L/C)1	-	-	-	-
THOMPSON/CENTER Encore	-	ENCOR(H/G/L/C)1	-	-	-	-
THOMPSON/CENTER Hawken, Renegade	-	TC(H/G/L/C)1	-	-	-	-
THOMPSON/CENTER Icon	-	WVRDTH2	WVRDTG2	WVRDTL2	WVRDTC2	WVRDTF2
THOMPSON/CENTER TCR '83	-	TCR(H/G/L/C)1	-	-	-	-
TIKKA M-07, M-77K	-	RFDTXH2	RFDTXG2	RFDTXL2	RFDTXC2	RFDTXF2
TIKKA M-55, M-65, T3, T3x (Dovetailed Receiver)	-	LSADTH2	LSADTG2	LSADTL2	LSADTC2	LSADTF2
Screw-Attached Base	-	LSAH2	LSAG2	LSAL2	LSAC2	LSAF2
TIP-OFF RIFLIFE-TYPE GROOVED RECEIVERS (Open-Ended Grooves on Various Guns)	-	RFDTXH2	RFDTXG2	RFDTXL2	RFDTXC2	RFDTXF2
Ring-Extending Base	-	RFDTXH2	RFDTXG2	RFDTXL2	RFDTXC2	RFDTXF2
ULTRA-LIGHT ARMS	-	ULAH2	ULAG2	ULAL2	ULAC2	ULAF2
Ring-Extending Base	-	ULAXH2	ULAXG2	ULAXL2	ULAXC2	ULAXF2
ULTRA-LIGHT ARMS With Bridge Round Like Front	-	45T559H2	45T559G2	45T559L2	45T559C2	45T559F2
Ring-Extending Base	-	45T559XH2	45T559XG2	45T559XL2	45T559XC2	45T559XF2
VOERE MAUSER	FN(H/G/L/C)1	FNH2	FNG2	FNL2	FNC2	FNF2
Ring-Extending Base	-	FNXH2	FNXG2	FNXL2	FNXC2	FNXF2
VOERE Flat-Top Bolt-Action (Titan, Shikar)	-	VOERH2	VOERG2	VOERL2	VOERC2	VOERF2
Ring-Extending Base	-	VOERXH2	VOERXG2	VOERXL2	VOERXC2	VOERXF2
VOERE Titan II	-	K15H2	K15G2	K15L2	K15C2	K15F2
Ring-Extending Base	-	K15XH2	K15XG2	K15XL2	K15XC2	K15XF2
VOERE Titan Menor	-	53H069H2	53H069G2	53H069L2	53H069C2	53H069F2
VOERE VEC 91	-	KRICOH2	KRICOG2	KRICOL2	KRICOX2	KRICOXF2
Ring-Extending Base	-	KRICOXH2	KRICOXG2	KRICOXL2	KRICOXC2	KRICOXF2
VOERE 2000 (Rimfire, Screw Attachment)	-	31H389H2	31H389G2	31H389L2	31H389C2	31H389F2
WEATHERBY Silhouette Pistol	VM(H/G/L/C)1	VMH2	VMG2	VML2	VMC2	VMF2
WEATHERBY Mark V (With Nine Locking Lugs)	MKV(H/G/L/C)1	MKVH2	MKVG2	MKVL2	MKVC2	MKVF2
Ring-Extending Base	-	MKVXH2	MKVXG2	MKVXL2	MKVXC2	MKVXF2
WEATHERBY Mark V, Left-Hand	MKVL(H/G/L/C)1	MKVH2	MKVG2	MKVL2	MKVC2	MKVF2
Ring-Extending Base	-	MKVXH2	MKVXG2	MKVXL2	MKVXC2	MKVXF2
WEATHERBY Mark XXII (Can Also Use RFDT-2 Bases if Grooved)	-	2H589H2	2H589G2	2H589L2	2H589C2	2H589F2
WEATHERBY Light-Weight Mark V (Six Locking Lugs)	-	LWMKVH2	LWMKVG2	LWMKVL2	LWMKVC2	LWMKVF2
Ring-Extending Base	-	LWMKVXH2	LWMKVXG2	LWMKVXL2	LWMKVXC2	LWMKVXF2
WEATHERBY Vanguard, Long Action	MKV(H/G/L/C)1	MKVH2	MKVG2	MKVL2	MKVC2	MKVF2
Ring-Extending Base	-	MKVXH2	MKVXG2	MKVXL2	MKVXC2	MKVXF2
WEATHERBY Vanguard, Short Action	L77(H/G/L/C)1	77H2	77G2	77L2	77C2	77F2
WEATHERBY Varmintmaster (Original Model)	VM(H/G/L/C)1	VMH2	VMG2	VML2	VMC2	VMF2
WEAVER-RING MOUNTING SYSTEMS (Various Guns)	-	WVRDTH2	WVRDTG2	WVRDTL2	WVRDTC2	WVRDTF2
WHITE MUZZLELOADER "W" Series*	-	HB579H2	HB579G2	HB579L2	HB579C2	HB579F2
WICHITA	-	<i>-All guns have changed. Provide full mounting dimensions. We'll fit as best we can.-</i>				
WINCHESTER Shotguns	-	45T029H2	45T029G2	45T029L2	45T029C2	45T029F2
WINCHESTER Shotguns With 1/2" Screw Spacing Front and Rear	-	45H019H2	45H019G2	45H019L2	45H019C2	45H019F2
WINCHESTER 43	-	31H389H2	31H389G2	31H389L2	31H389C2	31H389F2
WINCHESTER 52 With Different Screw Spacing Front and Rear	52(H/G/L/C)1	52H2	52G2	52L2	52C2	52F2
WINCHESTER 52, 61 With Same Screw Spacing Front and Rear	-	45T559H2	45T559G2	45T559L2	45T559C2	45T559F2
Ring-Extending Base	-	45T559XH2	45T559XG2	45T559XL2	45T559XC2	45T559XF2
WINCHESTER 54 and Pre-War 70 Before Serial No. 66,350 (Shallow Longitudinal Trench Atop Rear Receiver)	54(H/G/L/C)1	54H2	54G2	54L2	54C2	54F2
Ring-Extending Base	-	54XH2	54XG2	54XL2	54XC2	54XF2
WINCHESTER 63 (Screw Attachment)	-	45H059H2	45H059G2	45H059L2	45H059C2	45H059F2
WINCHESTER 70, Standard (Same Screw Spacing Front and Rear)	70(H/G/L/C)1	70H2	70G2	70L2	70C2	70F2
Ring-Extending Base	-	70XH2	70XG2	70XL2	70XC2	70XF2
WINCHESTER 70 Short Action (for WSM Calibers)	-	70H2	70G2	70L2	70C2	70F2
WINCHESTER 70 Super-Short (for WSSM Calibers)	-	5570H2	5570G2	5570L2	5570C2	5570F2
WINCHESTER 70 With Rear Screw Spacing 0.330"	70M(H/G/L/C)1	70MH2	70MG2	70ML2	70MC2	70MF2
Ring-Extending Base	-	70MXH2	70MXG2	70MXL2	70MXC2	70MXF2

Conetrol Base Stock Numbers

GUN MAKE & MODEL <i>Satin Stainless Steel Available for Many Guns</i>	BRIDGE BASES <i>(Four Grades)</i>	HUNTUR 2-Pc. (-H2)	GUNNUR 2-Pc. (-G2)	LIMITED 2-Pc. (-L2)	CUSTUM 2-Pc. (-C2)	FLUTED 2-Pc. (-F2)
WINCHESTER 70 With Rear Screw Spacing 0.330", Left-Hand (Bridge Base Uses Only One Rear Attachment Screw)	E70ML(H/G/L/C)1	70MH2	70MG2	70ML2	70MC2	70MF2
Ring-Extending Base	-	70MXH2	70MXG2	70MXL2	70MXC2	70MXF2
WINCHESTER 70 With Rear Screw Spacing 0.435"	E70M(H/G/L/C)1	E70MH2	E70MG2	E70ML2	E70MC2	E70MF2
Ring-Extending Base	-	E70MXH2	E70MXG2	E70MXL2	E70MXC2	E70MXF2
WINCHESTER 70 With Rear Screw Spacing 0.435", Left-Hand	E70ML(H/G/L/C)1	E70MH2	E70MG2	E70ML2	E70MC2	E70MF2
Ring-Extending Base	-	E70MXH2	E70MXG2	E70MXL2	E70MXC2	E70MXF2
WINCHESTER 88, 100	88(H/G/L/C)1	88H2	88G2	88L2	88C2	88F2
WINCHESTER 670	70(H/G/L/C)1	70H2	70G2	70L2	70C2	70F2
WINCHESTER 1885	-	-	-	-	-	-
WINCHESTER XPR	-	XPRH2	XPRG2	XURL2	XPRC2	XPRF2
Ring-Extending Base	-	XPRXH2	XPRXG2	XURL2	XPRXC2	XPRXF2
ZOLI Over-and-Under Valmet	-	RFDTXH2	RFDTXG2	RFDTXL2	RFDTXC2	RFDTXF2
ZOLI AZ-1900	CG(H/G/L/C)1	CGH2	CGG2	CGL2	CGC2	CGF2
Ring-Extending Base	-	HVAXH2	HVAXG2	HVAXL2	HVAXC2	HVAXF2

*Requires rings of different heights, either a Low and a Medium or a Medium and a High. Unless specifically mentioned, 30mm, 34mm, and 35mm rings may require shimming.
 **Requires a Low and a High ring. Unless specifically mentioned, 30mm rings likely require shimming.

NOTE:

The last two characters of each stock number indicate grade and number of pieces. Bridge bases are available in Hunter (-H1), Gunnur (-G1), Limited (-L1), and Custum (-C1) grades. The grades are described below:

- HUNTUR: Angular edges, satin finish.
- GUNNUR: Angular edges, gloss finish, stainless steel cone screws.
- LIMITED: Contoured (rounded) edges, satin finish.
- CUSTUM: Contoured edges, gloss finish, stainless steel cone screws.
- FLUTED: Fluted (ball-milled) edges, satin finish.

CLASSIC HUNTUR bases (angular edges, sanding-belt finish) have been discontinued and are no longer stocked, but can be ordered by special request. Substitute S1/S2 instead of H1/H2 at the end of the HUNTUR stock number. For satin stainless steel two-piece bases with stainless steel cone screws (Hunter, Limited, or Fluted), add -SS after the stock number. Not all bases are available in stainless steel. Check for availability at Conetrol website. Fluted bases require additional machining for which there may be a delay.

Ring-extending or short-ring-spacing bases are designed for certain scopes that may be too short for a standard Conetrol mount. The rear Conetrol ring typically sits just behind the shell ejection port, the front ring maybe an inch or so ahead of the port (between the two front screw holes for most screw-attached bases). If your scope would not allow this, you should order a ring-extending or short-ring-spacing base.

Conetrol mounts are available for virtually any firearm made that will take a conventional top mount low over the receiver. If your gun is not listed among the popular models above, we might be able to identify a special combination of our two-piece bases that will work for you. Contact us with full particulars.